

TOOB - LINER DATA

MS Part No.	Corrolates No.	Shells	Barrel	Orifice	Barrel	Stem	Vacuum kPa		PPM	Ratio		aPhase		bPhase		cPhase		dPhase			
							High	Low		%	ms	%	ms	%	ms	%	ms	%			
	D391130x4	5, 7	Tapered	27.6	24.7	8	47±2	42±2	56	60	40	193	18	450	42	199	19	230	21		
	D381169x4	5, 7	Tapered	29	29.7	8			56	60	40	193	18	450	32	199	19	230	21		
	D381254x4	5, 7	Parallel	29	33.1	8			56	60	40	193	18	450	32	199	19	230	21		
607947	D381295x4	5, 7	Tapered	24	24.2	8			56	60	40	193	18	450	32	199	19	230	21		
	D381366x4	5, 7	Parallel	21	20.8	8			60	65	35	150	15	500	50	120	12	230	23		
613033	D381414x4	5, 7	Tapered	29	30.7	8.3			56	60	40	193	18	450	42	199	19	230	21		
607953	D381416x4	5, 7	Tapered	24	24.7	8			56	60	40	193	18	450	42	199	19	230	21		
607989	D381922x4	1	Parallel	23	24.5	10			58	65	35	170	16.5	490	48	130	13	230	22.5		
607992	D381974x4	1, 2, 3, 4	Parallel	20	22.5	9.2			60	65	35	150	15	500	50	110	11	240	24		
607994	D381975x4	1, 2, 3, 4	Tapered	23	26.5	8.7			56	60	40	143	13	500	47	189	18	240	22		
607996	D381981x4	1, 2, 3, 4	Parallel	22.5	22.5	9.2			60	65	35	150	15	500	50	110	11	240	24		
	D381982x4	5, 7	Tapered	27.5	24.2	8			56	60	40	193	18	450	42	199	19	230	21		
	D381983x4	5, 7	Parallel	22	21.5	8			60	65	35	150	15	500	50	120	12	230	23		
302337	D381984x4	1, 2, 3, 4	Tapered	23	26.5	8.7			56	60	40	143	13	500	47	189	18	240	22		
607999	D381985x4	6, 8	Parallel	24	24.7	10			56	60	40	143	13	500	47	199	19	230	21		
608002	D381986x4	1, 2, 3, 4	Parallel	21	22	12			60	65	35	150	15	500	50	110	11	240	24		
608004	D381987x4	1, 2, 3, 4	Parallel	24	23.5	9.2			60	65	35	150	15	500	50	110	11	240	24		
608006	D381988x4	1, 2, 3, 4	Parallel	24	23.5	12			60	65	35	150	15	500	50	110	11	240	24		
608008	D381989x4	6, 8	Parallel	22	21.5	12			60	65	35	150	15	500	50	120	12	230	23		
608010	D381991x4	1, 2, 3, 4	Tapered	23	26.5	12			56	60	40	143	13	500	47	189	18	240	22		
613034	D381993x4	1, 2, 3, 4	Tapered	26.5	25	10			56	60	40	193	18	450	42	199	19	230	21		
608012	D381995x4	1, 2, 3	Parallel	24	24.7	10			56	60	40	143	13	500	47	199	19	230	21		
302349	D381996x4	1	Parallel	20	21.5	10			60	65	35	150	15	500	50	120	12	230	23		
302353	D381999x4	1	Parallel	20	22	10			60	65	35	150	15	500	50	120	12	230	23		
304555	F300430	2, 3	Tapered	27	25.2	9.2			56	60	40	193	18	450	42	199	19	230	21		
608776	H278720x4	1, 2, 3, 4	Tapered	25.2	24.2	8.5			56	60	40	193	18	450	42	199	19	230	21		
Non-Flared Shells: 1 - 200g; 2 - 280g, 3 - 300g; 4 - 400g									Flared Shells: 5 - 200g; 6 - 200g; 7 - 280g; 8 - 280g												